





Floor Gullies and Access Covers Technical Manual

- September 2005 Edition

Welcome to this latest edition of our Floor Gullies and Access Covers technical manual which has been updated with some significant new products. The following table lists the main additions with a summary of their details and the relevant catalogue page references.

| Page | Details | |
|------------------|---|---|
| 5Btp |  | <p>New GP614 ABS trapped gully body - an extremely compact and versatile body designed to suit a range of installations.</p> <p>Also shown on page 5B tp is the new GP312 ABS 'P' trapped version.</p> <p style="text-align: right;">NEW</p> |
| 5Gss 6Gss |  | <p>Additions to the vari-level grating range. K1807 stainless steel 176 dia. with a peripheral slot, for use with sheet floor covering such as vinyl.</p> <p>L3101 150 sq. and L3102 200 sq. stainless steel perforated gratings. (Page 6G ss shows K1897 and L3191 / L3192 direct connection versions).</p> <p style="text-align: right;">NEW</p> |
| 5X3 |  | <p>New U1501 timber deck installation adaptor for use with our G series 'P' and 'S' trapped vari-level gully bodies.</p> <p style="text-align: right;">NEW</p> |
| 11 SF2 11 SF3 |  | <p>New GV5 and GV6 series gully assemblies for use with flexible sheet floor covering such as vinyl.</p> <p>This new range features an extremely compact 'P' or vertical trapped outlet ABS gully body, with a choice of 8 different tops ranging from the stainless steel peripheral slotted version (GV5007 illustrated) to a nickel bronze slotted version (GV6103 illustrated), with other options including access covers and condensate funnels.</p> <p style="text-align: right;">NEW</p> |

Floor Gullies & Access Covers



Contents

Section

| | |
|-------------------|---|
| 1 | Introduction |
| 2 | Design Considerations |
| 3 | Installation Guidelines |
| 4 | Stainless Steel Gullies |
| 4B | Body assemblies |
| 4G | Gratings |
| 4SF | For use with sheet floor covering |
| 5 | Vari-Level |
| 5A | Assemblies with Typical Installations |
| 5B | Bodies |
| 5G | Gratings |
| 5V | Access Covers |
| 5X | Accessories and Adaptors for Gratings and Access Covers |
| 6 | Direct Connection |
| 6G | Gratings |
| 6V | Access Covers |
| 7 | Gullies for Asphalt/Composition Finished Floors |
| 8 | Gullies for Unfinished Floors |
| 9 | Side Inlets |
| 10 | Adaptors |
| 11 | Specialised Applications |
| 11L | Large Gullies |
| 11M | Non-spark Gunmetal Gullies for use in Metal decks |
| 11O | Overflow Gully for use in decorative pools/water features |
| 11P | Drainage of Planting areas and roof gardens |
| 11S | 90° Gully for use in Shower areas etc. |
| 11SF 1 | Double-sealed Access Cover for man-entry |
| 11SF 2-3 | Shower Gullies – assemblies for sheet floor covering |
| 11V | General purpose Access Covers |
| WH | Water Hammer Arrestors |
| WP | Non-Freeze Water Points |
| Appendix i | Materials Care and Maintenance |
| ii | Glossary |
| Code Index | Spec. Code Index |
| Wade | I.T. and Warranty |


Introduction

A privately owned U.K. company with more than forty years' experience in the industry, Wade is established as a leading manufacturer of quality drainage products. Much of the success of the business is attributable to an on-going commitment to put technology to practical use, to generate fresh ideas, and to guarantee quality assured production.



Drainage of Security Areas

K29 and K30 series are designed to deter unauthorised removal of gratings and unauthorised access to a gully.



Floral Style Gratings

Aesthetic yet practical, equally suitable for inside or outside applications, nickel bronze complements a wide variety of floor finishes including terrazzo, stone paviers, marble and sheet floor covering.



Custom Made Products

Products can be designed to suit particular applications. Please contact our Technical Services Dept. for details.



This Technical Handbook presents illustrations and data from a comprehensive range of products in which choices of material, size and style enable the specifier/user to select gullies that will meet his/her requirements.



Tel: +44(0)1787 475151

Fax: +44(0)1787 475579

E-mail: tech@wadedrainage.co.uk

Web: www.wadedrainage.co.uk

September 2005


Introduction

Certification of compliance with BS EN ISO 9001 underlies our commitment to quality and service



Drainage and Service Access in a Kitchen with Vinyl Flooring

K2303 gratings of nickel bronze and R113 access cover with stainless steel frame ensure watertight connections.



Drainage in Block Paving

Cast nickel bronze is particularly suited to the mixed traffic conditions encountered in pedestrian areas such as at shopping centres.



Drainage in a Resin Floor

K2303 gratings of nickel bronze ensure watertight connections.